

TECHNICAL DOCUMENTATION 2019/2014 - WASHING MACHINES

Description	Declared value	Unit
General description of the model, for unequivocal identification	WRSB7259SPL	
References to the harmonised standards applied or other measurement standards used	EN 50564:2011; EN 60456:2016 + A11:2020; EN 60704-1:2010 + A11:2012 and 60704-2-4:2012 + A11:2020	
Specific precautions other than in above mentioned standard optional can be empty	NO	
Testing conditions, other than in above mentioned standard optional can be empty	No	
Rated capacity for the eco 40-60 programme, at 0,5 kg intervals (c)	7,0	kg
Energy consumption of the eco 40-60 programme at rated capacity ($E_{W,full}$)	0,750	kWh/cycle
Energy consumption of the eco 40-60 programme at half rated capacity ($E_{W,1/2}$)	0,410	kWh/cycle
Energy consumption of the eco 40-60 programme at quarter rated capacity ($E_{W,1/4}$)	0,290	kWh/cycle
Weighted energy consumption of the eco 40-60 programme (E_W)	0,516	kWh/cycle
Standard energy consumption of the eco 40-60 programme (SCE_W)	0,862	kWh/cycle
Energy Efficiency Index (EEl_W)	59,9	
Water consumption of the eco 40-60 programme at rated capacity ($W_{W,full}$)	52,0	L/cycle
Water consumption of the eco 40-60 programme at half rated capacity ($W_{W,1/2}$)	41,0	L/cycle
Water consumption of the eco 40-60 programme at quarter rated capacity ($W_{W,1/4}$)	41,0	L/cycle
Weighted water consumption (W_W)	46	L/cycle
Washing efficiency index of the eco 40-60 programme at rated capacity (I_W)	1,031	
Washing efficiency index of the eco 40-60 programme at half rated capacity (I_W)	1,031	
Washing efficiency index of the eco 40-60 programme at quarter rated capacity (I_W)	1,031	
Rinsing effectiveness of the eco 40-60 programme at rated capacity (I_R)	4,9	g/kg
Rinsing effectiveness of the eco 40-60 programme at half rated capacity (I_R)	4,9	g/kg
Rinsing effectiveness of the eco 40-60 programme at quarter rated capacity (I_R)	4,9	g/kg
Programme duration of the eco 40-60 programme at rated capacity (t_W)	03:25	h:min
Programme duration of the eco 40-60 programme at half rated capacity (t_W)	02:42	h:min
Programme duration of the eco 40-60 programme at quarter rated capacity (t_W)	2:35	h:min

Description	Declared value	Unit
Temperature reached for minimum 5 min inside the load during eco 40-60 programme at rated capacity (T)	37	°C
Temperature reached for minimum 5 min inside the load during eco 40-60 programme at half rated capacity (T)	30	°C
Temperature reached for minimum 5 min inside the load during eco 40-60 programme at quarter rated capacity (T)	22	°C
Spin speed in the spinning phase of the eco 40-60 programme at rated capacity (S)	1151	rpm
Spin speed in the spinning phase of the eco 40-60 programme at half rated capacity (S)	1151	rpm
Spin speed in the spinning phase of the eco 40-60 programme at quarter rated capacity (S)	1151	rpm
Weighted remaining moisture content (D)	53,0	%
Airborne acoustical noise emissions during eco 40-60 programme (spinning phase)	78	dB(A) re 1 pW
Power consumption in 'off mode' (P_o) (if applicable)	0,50	W
Power consumption in 'standby mode' (P_{sm}) (if applicable)	0,50	W
Does 'standby mode' include the display of information?	No	
Power consumption in 'standby mode' (P_{sm}) in condition of networked standby (if applicable)	na	W
Power consumption in 'delay start' (P_{ds}) (if applicable)	4,00	W